

What is claimed is:

1. A multilayered film comprising:
 - a) a nylon film having first and second surfaces;
 - b) a silicone oil on the first surface of the nylon film; and
 - 5 c) a sealant film on the second surface of the nylon film, which sealant film comprises at least one polyethylene layer, which at least one polyethylene layer either contains an antifog composition, or has an antifog composition coated on a surface thereof.
- 10 2. The film of claim 1 wherein the antifog composition is contained within the polyethylene layer.
3. The film of claim 1 wherein the antifog composition is coated on a surface of the polyethylene layer.
- 15 4. The film of claim 1 wherein the nylon film comprises nylon 6, nylon 66, nylon 6/6,6 or combinations thereof.
5. The film of claim 1 wherein the nylon film comprises nylon 6.
- 20 6. The film of claim 1 wherein the silicone oil comprises a surface active lubricant.
7. The film of claim 1 wherein the silicone oil comprises a
- 25 polydimethylsiloxane material.
8. The film of claim 1 wherein the sealant film comprises a polyethylene layer selected from the group consisting of ultra low density polyethylene, low density polyethylene, linear low density polyethylene, metallocene linear low

density polyethylene, medium density polyethylene and high density polyethylene.

9. The film of claim 1 wherein the sealant film comprises a linear low density
5 polyethylene.

10. The film of claim 1 wherein the sealant film contains an ethylene vinyl alcohol layer.

10 11. The film of claim 1 wherein the sealant film and the nylon film are laminated together via an intermediate adhesive layer.

12. The film of claim 11 wherein the adhesive layer is selected from the group consisting of polyurethanes, epoxies, polyesters, acrylics, anhydride modified
15 polyolefins and combinations thereof.

13. The film of claim 1 wherein the antifog composition comprises one or more materials selected from the group consisting of glycerol monoesters of a saturated or unsaturated fatty acid having from about 8 to about 20 carbon
20 atoms, glycerol diesters of a saturated or unsaturated fatty acid having from about 8 to about 20 carbon atoms; ionic surfactants having phosphate, sulfate or quaternary amine functional end groups; and sorbitan esters.

14. The film of claim 1 wherein the nylon film is uniaxially oriented, biaxially
25 oriented or a blown film.

15. The film of claim 1 which nylon film is heat shrinkable.

16. The film of claim 1 further comprising printed indicia on the nylon film.

17. The film of claim 1 which has an oxygen transmission rate of about 0.5 cc/100 in²/day or less at 65% relative humidity at 20°C.

5 18. A multilayered film comprising:

a) a nylon film comprising:

i. a first nylon layer, which first nylon layer has first and second surfaces;

10 ii. an ethylene vinyl alcohol layer, the ethylene vinyl alcohol layer having first and second surfaces and which is positioned such that the first surface of the ethylene vinyl alcohol layer is in contact with the first surface of the first nylon layer;

15 iii. a second nylon layer, which second nylon layer has first and second surfaces, and which is positioned such that the first surface of the second nylon layer is in contact with the second surface of the ethylene vinyl alcohol layer;

b) a silicone oil on the second surface of the second nylon film; and

20 c) a sealant film on the second surface of the first nylon layer, which sealant film comprises at least one polyethylene layer, which at least one polyethylene layer either contains an antifog composition, or has an antifog composition coated on a surface thereof.

19. The film of claim 18 wherein the first and second nylon layers comprise nylon 6, nylon 66, nylon 6/6,6 or a combination thereof.

25

20. The film of claim 18 wherein at least one of the first and second nylon layers is corona treated.

21. The film of claim 18 wherein the first nylon layer, the ethylene vinyl

alcohol layer and the second nylon layer are coextruded.

22. The film of claim 18 wherein the antifog composition is contained within the polyethylene layer.

5

23. The film of claim 18 wherein the antifog composition is coated on a surface of the polyethylene layer.

24. The film of claim 18 wherein the sealant film comprises a first

10 polyethylene layer, a first adhesive tie layer on the first polyethylene layer, an ethylene vinyl alcohol layer on the first adhesive tie layer, a second adhesive tie layer on the ethylene vinyl alcohol layer, and a second polyethylene layer on the second adhesive tie layer.

15 25. The film of claim 24 wherein the first and second polyethylene layers are selected from the group consisting of ultra low density polyethylene, low density polyethylene, linear low density polyethylene, metallocene linear low density polyethylene, medium density polyethylene and high density polyethylene.

20

26. The film of claim 24 wherein the first and second polyethylene layers comprise linear low density polyethylene.

27. The film of claim 18 wherein the silicone oil comprises a surface active

25 lubricant.

28. The film of claim 18 wherein the silicone oil comprises a polydimethylsiloxane material.

29. A multilayered film comprising:

a) a nylon film having first and second surfaces which comprises a layer of nylon 6, nylon 66, nylon 6/6,6 or a combination thereof;

b) a silicone oil on the first surface of the nylon film;

5 c) a sealant film on second surface of the nylon film, which sealant film comprises:

i. a polyethylene layer having first and second surfaces, which polyethylene layer either contains an antifog composition, or has an antifog composition coated on the first surface thereof;

10 ii. a first nylon layer on the second surface of the polyethylene layer;

iii. an optional adhesive tie layer between said polyethylene layer and said first nylon layer, which optional adhesive tie layer attaches the first nylon layer to the polyethylene layer;

iv. an ethylene vinyl alcohol layer on the first nylon layer; and

15 v. a second nylon layer on the ethylene vinyl alcohol layer.

30. The film of claim 29 wherein at least one of the first and second nylon layers is corona treated.

20 31. The film of claim 29 wherein the silicone oil comprises a surface active lubricant.

32. The film of claim 29 wherein the silicone oil comprises a polydimethylsiloxane material.

25

33. The film of claim 29 wherein the first and second nylon layers comprise nylon 6, nylon 66, nylon 6/6,6 or a combination thereof.

34. The film of claim 29 wherein the polyethylene layer comprises a linear

low density polyethylene.

35. The film of claim 29 wherein the antifog composition is contained within the polyethylene layer.

5

36. The film of claim 29 wherein the antifog composition is coated on a surface of the polyethylene layer.

37. The film of claim 29 wherein the nylon film may comprise a first nylon
10 layer, an ethylene vinyl alcohol layer on a surface of the first nylon layer, and a second nylon layer on a surface of the ethylene vinyl alcohol layer.

38. A process for forming a multilayered film comprising:

- 15 a) combining a nylon component with a silicone oil component to form a nylon blend;
- b) forming a nylon film having first and second surfaces from the nylon blend, which silicone oil component is positioned at the surface of the nylon film;
- c) coextruding a sealant film onto the second surface of the nylon film, which sealant film comprises at least one polyethylene layer, which at least one
20 polyethylene layer either contains an antifog composition, or has an antifog composition coated on a surface thereof.

39. The process of claim 38 wherein the nylon component comprises nylon 6, nylon 66 or nylon 6/6,6.

25

40. The process of claim 38 wherein the nylon film comprises a first nylon layer, an ethylene vinyl alcohol layer attached to a surface of the first nylon layer, and a second nylon layer attached to a surface of the ethylene vinyl alcohol layer.

41. The process of claim 40 wherein the first nylon layer, the ethylene vinyl alcohol layer and the second nylon layer are coextruded.

5 42. The process of claim 40 wherein the first and second nylon layers comprise a material selected from the group consisting of nylon 6, nylon 66, nylon 666 and combinations thereof.

43. The process of claim 40 further comprising corona treating at least one of
10 the first and second nylon layers.

44. The process of claim 38 wherein the sealant film comprises a polyethylene layer selected from the group consisting of ultra low density polyethylene, low density polyethylene, linear low density polyethylene, metallocene linear low
15 density polyethylene, medium density polyethylene and high density polyethylene.

45. The process of claim 38 comprising blending the antifog composition within the polyethylene layer.
20

46. The process of claim 38 comprising coating the antifog composition on a surface of the polyethylene layer.

47. The process of claim 38 comprising laminating together the sealant film
25 and the nylon film via an intermediate adhesive layer.

48. The process of claim 38 wherein the antifog composition comprises one or more materials selected from the group consisting of glycerol monoesters of a saturated or unsaturated fatty acid having from about 8 to about 20 carbon

atoms, glycerol diesters of a saturated or unsaturated fatty acid having from about 8 to about 20 carbon atoms; ionic surfactants having phosphate, sulfate or quaternary amine functional end groups; and sorbitan esters.

5 49. The process of claim 38 wherein the nylon film is either uniaxially oriented or biaxially oriented, or a blown film.

50. The process of claim 38 further comprising printing indicia on the nylon film.

10

51. The process of claim 38 wherein the silicone oil comprises a surface active lubricant.

52. The process of claim 38 wherein the silicone oil comprises a
15 polydimethylsiloxane material.

53. A process for forming a multilayered film comprising:
a) forming a nylon film having first and second surfaces;
b) coating a silicone oil onto the first surface of the nylon film;
20 c) attaching a sealant film onto the second surface of the nylon film, which sealant film comprises at least one polyethylene layer, which at least one polyethylene layer either contains an antifog composition, or has an antifog composition coated on a surface thereof.

25 54. A food package which comprises a container having an open portion and a multilayered film sealing the open portion, which multilayered film comprises:
a) a nylon film having first and second surfaces;
b) a silicone oil on the first surface of the nylon film; and
c) a sealant film on the second surface of the nylon film, which sealant film

comprises at least one polyethylene layer, which at least one polyethylene layer either contains an antifog composition, or has an antifog composition coated on a surface thereof.

5 55. A packaged food which comprises the food package of claim 54 and a food product in the food package.

56. The packaged food of claim 55 wherein the food product comprises a meat.

10

57. A multilayered film comprising:

- a) a nylon 666 film having first and second surfaces;
 - b) a silicone oil on the first surface of the nylon film; and
 - c) a sealant film on second surface of the nylon film, which sealant film
- 15 comprises:

- i. a polyethylene layer having first and second surfaces, which polyethylene layer either contains an antifog composition, or has an antifog composition coated on the first surface thereof;
 - ii. a first nylon 6 layer on the second surface of the polyethylene layer, which first nylon 6 layer has a silicone oil on a surface thereof;
 - iii. an adhesive tie layer between said polyethylene layer and said first nylon 6 layer, which adhesive tie layer attaches the first nylon 6 layer to the polyethylene layer;
 - iv. an ethylene vinyl alcohol layer on the first nylon 6 layer; and
 - v. a second nylon 6 layer on the ethylene vinyl alcohol layer, which second nylon 6 layer has a silicone oil on a surface thereof;
- and wherein the nylon 666 film is attached to the second nylon 6 layer via an intermediate adhesive layer.

20

25

58. A roll of the multilayered film of claim 1.

59. A roll of the multilayered film of claim 18.

5 60. A roll of the multilayered film of claim 29.

1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------

4